Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act, 1992

For use by Principal Authority							
Application number:			Permit number (if different):				
Date received:			Roll number:				
Application submitted to:(Name of municipali	ty, upper-tie	r municij	pality, bo	ard of health or conservati	ion authority)		
A. Project information							
Building number, street name					Unit number	Lot/con.	
Municipality	Postal code			Plan number/other description			
Project value est. \$				Area of work (m ²)			
B. Purpose of application							
New construction existing but	Addition to an		·		Demolition	Conditional Permit	
Proposed use of building	oposed use of building Curre		rent use of building				
Description of proposed work							
C. Applicant Applicant is:	Owne		Au	uthorized agent of owner			
Last name	First name			Corporation or partne	ır partnership		
Street address					Unit number	Lot/con.	
Municipality	Postal code			Province	E-mail		
Telephone number	Fax				Cell number		
D. Owner (if different from applicant)	•						
Last name	First nam	ne		Corporation or partne	rship		
Street address	I				Unit number	Lot/con.	
Municipality	Postal co	Postal code		Province	E-mail	E-mail	
Telephone number	Fax		<u> </u>		Cell number		

E. Builder (optional)							
Last name	First name Corporation or partnership (if applicable)						
Street address			Unit number	Lot/con.			
NA			- "				
Municipality	Postal code	Province	E-mail				
Telephone number	Fax		Cell number				
relephone number	I ax		Och Humber				
F. Tarion Warranty Corporation (Ontario New Home Warranty Program)							
i. Is proposed construction for a new home as defined in the <i>Ontario New Home Warranties</i> Plan Act? If no, go to section G.							
ii. Is registration required under the Ontar	Ye	s No					
iii. If yes to (ii) provide registration number	(s):						
G. Required Schedules							
i) Attach Schedule 1 for each individual who rev	riews and takes respon	nsibility for design activities.					
ii) Attach Schedule 2 where application is to con-	struct on-site, install o	r repair a sewage system.					
H. Completeness and compliance with a	ipplicable law						
i) This application meets all the requirements of clauses 1.3.1.3 (5) (a) to (d) of Division C of the Building Code (the application is made in the correct form and by the owner or authorized agent, all applicable fields have been completed on the application and required schedules, and all required							
schedules are submitted). Payment has been made of all fees that are required, under the applicable by-law, resolution or regulation made under clause 7(1)(c) of the <i>Building Code Act, 1992</i> , to be paid when the application is made. Yes							
ii) This application is accompanied by the plans and specifications prescribed by the applicable by-law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act</i> , 1992.							
iii) This application is accompanied by the information and documents prescribed by the applicable by- law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992</i> which enable the chief building official to determine whether the proposed building, construction or demolition will contravene any applicable law.							
iv) The proposed building, construction or demol	ition will not contraver	e any applicable law.	Ye	s No			
I. Declaration of applicant							
				alawa that			
(print name)			ae	clare that:			
 The information contained in this application, attached schedules, attached plans and specifications, and other attached documentation is true to the best of my knowledge. If the owner is a corporation or partnership, I have the authority to bind the corporation or partnership. 							
Date	Signature	of applicant					

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

Schedule 1: Designer Information

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project. A. Project Information Building number, street name Unit no. Lot/con. Municipality Postal code Plan number/ other description B. Individual who reviews and takes responsibility for design activities Name Street address Unit no. Lot/con. Municipality Postal code Province E-mail Telephone number Fax number Cell number C. Design activities undertaken by individual identified in Section B. [Building Code Table 3.5.2.1. of Division C] HVAC - House **Building Structural** House Small Buildings **Building Services** Plumbing - House Large Buildings Detection, Lighting and Power Plumbing - All Buildings Complex Buildings On-site Sewage Systems Fire Protection Description of designer's work **Declaration of Designer** declare that (choose one as appropriate): (print name) I review and take responsibility for the design work on behalf of a firm registered under subsection 3.2.4.of Division C, of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories. Individual BCIN: Firm BCIN: I review and take responsibility for the design and am qualified in the appropriate category as an "other designer" under subsection 3.2.5.of Division C, of the Building Code. Individual BCIN: Basis for exemption from registration: The design work is exempt from the registration and qualification requirements of the Building Code. Basis for exemption from registration and qualification: I certify that:

NOTE:

Date

For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) (c).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.

1. The information contained in this schedule is true to the best of my knowledge. 2. I have submitted this application with the knowledge and consent of the firm.

Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Signature of Designer

Energy Efficiency Design Summary (Part 9 Residential)

This form to be completed & signed by the person who reviews and takes responsibility for the energy efficiency design of the project Information on completing this form is contained on the reverse

For use by Principal Authority							
Application No:			Model/Certification Num	nber			
A. Project Information							
Building number, street name Unit number Lot/Con							
Municipality Postal code				Reg. Plan number / othe	er description		
			reg. Fran Humber / Other description				
B. Compliance Option							
☐ SB-12 Prescriptive [SB-12	2 - 2.1.1.]		Table: Package:				
☐ SB-12 Performance* [SB	-12 - 2.1.2.]		* Attach energy performance calculations using an approved software				
☐ Energy Star®* [SB-12 - 2.1.3.]			* Attach BOP form. House must be labeled on completion by Energy Star				
☐ EnerGuide 80®*			* House mu	st be evaluated by	/ NRCan advisor and	d meet a rating of 80	
C. Project Design Condi	tions						
Climatic Zone (SB-1):	quipme	ent Efficiency	Space Heating F	Fuel Source			
□ Zone 1 (< 5000 degree days)		□ ≥ 90% AFUE		□ Gas	□ Propane	□ Solid Fuel	
□ Zone 2 (≥ 5000 degree days)	□ ≥ 78% <	90% A	FUE	□ Oil	□ Electric	□ Earth Energy	
Windows+Skylights+Glass Doo	rs			Other Building Conditions			
Gross Wall Area = m ² Gross Window+ Area = m ²	% Win	dows+	· %	☐ ICF Basement ☐ Walkout Basem ☐ ICF Above Grade ☐ Slab-on-ground		= == 9,	
D. Building Specification	1			☐ ICF Above Gra	ide □ Slab-on-groun	lu	
Building Component	15	DQI / I	R values	Building	Component	Efficiency Ratings	
Thermal Insulation		NOI/I	\ values	Windows & Doors	Efficiency Ratings		
Ceiling with Attic Space				Windows/Sliding			
Ceiling without Attic Space				Skylights			
Exposed Floor				Mechanicals			
Walls Above Grade				Space Heating Ed			
Basement Walls				HRV Efficiency (%			
Slab (all >600mm below grade)				DHW Heater (EF)			
Slab (edge only ≤600mm below grad	le)			NOTES			
Slab (all ≤600mm below grade, or he	eated)			1. Provide U-Value in W/m2.K, or ER rating 2. Provide AFUE or indicate if condensing type combined system used			
E. Performance Design Verification [complete applicable sections if SB-12 Performance, Energy Star or EnerGuide80 options used]							
E. Performance Design	Verification	n [com	nplete applicable				
E. Performance Design SB-12 Performance:	Verificatio	n [com	nplete applicable				
SB-12 Performance: The annual energy consumption	on using Su	ıbsecti	on 2.1.1. SB	e sections if SB-12 Perf			
SB-12 Performance: The annual energy consumption The annual energy consumption	on using Su	ubsecti ouse a	on 2.1.1. SB s designed is	e sections if <i>SB-12 Perf</i> -12 Package sGj	formance, Energy Star or	EnerGuide80 options used]	
SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate	on using Su on of this he the annual	ıbsecti ouse a energ	on 2.1.1. SB s designed is y use of the	e sections if SB-12 Perf -12 PackageGj building is:	formance, Energy Star or	EnerGuide80 options used]	
SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate The building is being designed	on using Suon of this he the annual I using an a	ubsecti ouse a energ air leak	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Perf -12 Package SGj building is: air changes per	formance, Energy Star or	EnerGuide80 options used]	
SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate The building is being designed Energy Star. BOP form attache	on using Suon of this he the annual I using an a	ubsecti ouse a energ air leak	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Perf -12 Package SGj building is: air changes per	formance, Energy Star or	EnerGuide80 options used]	
SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate The building is being designed	on using Suon of this he the annual I using an a	ubsecti ouse a energ air leak	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Perf -12 Package SGj building is: air changes per	formance, Energy Star or is hour @50Pa.	EnerGuide80 options used]	
SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate The building is being designed Energy Star. BOP form attached Energy Star and EnerGuide80	on using Suon of this he the annual I using an a	ubsecti ouse a energ air leak	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Performance -12 PackageGj building is: air changes per on completion by:	formance, Energy Star or is hour @50Pa.	EnerGuide80 options used]	
SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate The building is being designed Energy Star. BOP form attached Energy Star and EnerGuide80	on using Suon of this he the annual I using an a	ubsecti ouse a energ air leak	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Performance -12 PackageGj building is: air changes per on completion by:	formance, Energy Star or is hour @50Pa.	EnerGuide80 options used]	
SB-12 Performance: The annual energy consumption of the annual energy consumption of the software used to simulate the building is being designed to the building is being designed. Energy Star and EnerGuide80 Evaluator/Advisor/Rater Name: F. Declaration [by the person]	on using Suon of this he the annual dusing an a ed. The hour	ubsectiouse a energair leak	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Performance -12 PackageGj building is:air changes performance completion by: Evaluator/Advisor/R	isisisisindex @ 50Pa.	EnerGuide80 options used] _Gj (1 Gj =1000Mj)	
SB-12 Performance: The annual energy consumption of the annual energy consumption of the software used to simulate the building is being designed. Energy Star. BOP form attached Energy Star and EnerGuide80 Evaluator/Advisor/Rater Name: F. Declaration [by the person of I certify that I have reviewed the designed of the software in	on using Suon of this he the annual dusing an a ed. The hour	ubsections and take submitted	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Performance -12 Package	isisisindex or isisisindex @50Pa. tater Licence #: cy design] Information contained on	Gj (1 Gj =1000Mj)	
SB-12 Performance: The annual energy consumption of the annual energy consumption of the software used to simulate the building is being designed to the building is being designed. Energy Star and EnerGuide80 Evaluator/Advisor/Rater Name: F. Declaration [by the person]	on using Suon of this he the annual dusing an a ed. The hour	ubsections and take submitted	on 2.1.1. SB s designed is y use of the age of	e sections if SB-12 Performance and sections is sections in SB-12 Performance and sections in SB-12 Performa	isisisindex or isisisindex @50Pa. tater Licence #: cy design] Information contained on	Gj (1 Gj =1000Mj)	

Guide to the Energy Efficiency Design Summary Form

The *Energy Efficiency Design Summary* form summarizes the compliance path used by a house designer to comply with energy efficiency requirements of the Ontario Building Code. This form is completed by the person responsible for the energy efficiency design of the project, and must be submitted with the building permit application. The information on this form MUST reflect the drawings and specifications being submitted, or the building permit will be refused. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website at www.mah.gov.on.ca, or the municipal building department.

Beginning January 1, 2012, a house designer must use one of four energy efficiency compliance options in the building code:

- 1. Comply with the SB-12 Prescriptive design tables,
- 2. Use the SB-12 Performance compliance method, and model the design against the prescriptive standards,
- 3. Design to Energy Star standards, or
- 4. Evaluate the design according to EnerGuide technical procedures and achieve a rating of 80 or more.

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 2.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option.
- <u>SB-12 Performance</u> refers to the alternative method of compliance set out in Subsection 2.1.2. of SB-12.
 Using this approach the designer must use recognized energy simulation software (HOT2000 V9.34c1.2 or newer), and submit documents which show that the annual energy use of the building is equal to a prescriptive package.
- <u>Energy Star</u> houses must be designed to *Energy Star* requirements and be labelled on completion by Enerquality or other agency. The *Energy Star* BOP form must be submitted with the permit documents.
- <u>EnerGuide80</u> houses are validated by NRCan authorized energy advisors and must achieve a rating of 80 or more when evaluated in accordance with EnerGuide administrative and technical procedures.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights and glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22% the <u>SB-12 Prescriptive</u> option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 2.1.1.1. of SB-12 for further details.

Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. Other Building Conditions: These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, RSI 3.52 wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details.

E. Performance Design Summary

This section is not required to be completed if the SB-12 Prescriptive option is being used.

AIRTIGHTNESS REQUIREMENTS FOR NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered. A blower door test to verify the air tightness of the house must be conducted during construction if the *NRCan EnerGuide80* option is used, or if the *SB-12 Performance* or *Energy Star* options are used and an air tightness of less than 2.5 ACH @ 50 Pa in the case of detached houses, or 3.0 ACH @ 50 Pa in the case of attached houses is necessary to meet the required energy efficiency standard.

ENERGY EFFICIENCY LABELING FOR NEW HOUSES

Energy Star and EnerGuide issue labels for new homes constructed under their energy efficiency programs. The building code does not regulate new home labelling.